

HC-B 06-TFL-N-M1PG13.5G

Order No.: 1460338

<http://eshop.phoenixcontact.net/phoenix/treeViewClick.do?UID=1460338>

HEAVYCON B6 sleeve housing, for single locking latch, height: 56 mm, with screw connection, 1 x Pg13.5 gland, straight cable outlet

Commercial data

EAN	 4 046356 794824
Pack	10 pcs.
Customs tariff	85389099
Gross weight in pieces	0.14263 KG
Net weight per piece (exclusive packing)	0.14263 KG

Product notes

WEEE/RoHS-compliant since:
08/07/2012

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

Dimensions

Height	56 mm
Width	43 mm
Length	60 mm
Wrench size, union nut	20 mm
External cable diameter	7.5 mm ... 12.5 mm

Ambient conditions

Ambient temperature (operation)	-40 °C ... 125 °C
---------------------------------	-------------------

General

Note	For contact inserts HC-B6, BB10, DD24, M
Type	B6
Housing type	Sleeve housings
Locking type	for single locking latch
No. of cable exits	1
Cable exit	Straight
Screw connection	with
Type of the screw connection	Pg13.5
Housing material	Aluminum die-cast
Housing surface material	Powder-coated, gray

Certificates / Approvals


Certification

Certifications applied for:

Certification Ex:

Diagrams/Drawings

Dimensioned drawing



Dimensional drawing

Address

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 00
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>



© 2014 Phoenix Contact
Technical modifications reserved;